



...SINCE 1994
MALAYSIA

YIVA ELECTRIC SDN BHD

YETPlus Lighting



2022 | 2023

Edition



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)

☎ 03 - 6091 9811



Yiva Electric, formerly registered under the name Yiva Electric Trading was established on 1 April 1994 by Mr. Adam So who today remained the Managing Director of the company. Adam began the business by trading electrical products sourced from local wholesalers, but quickly realized its market potential and changed the business model from trading, to Original Equipment Manufacturing (OEM) in 2000, under the brand name of YETPlus Lighting.

In the following year, Yiva Electric Sendirian Berhad was incorporated in Malaysia as a private limited company. Moving from a shop lot to Kepong Light Industrial Zone in 2004, Yiva continued to build on expansion efforts with its first overseas manufacturing plant investment in 2005. In a relatively short span of time, Yiva had diversified from merely selling electrical products to becoming the brand owner of YETPlus Lighting. Yiva was also being appointed as the distributor for the East Malaysia & Brunei regions in 2007, as well as Master Distributor of Havells Sylvania's products in 2010.

In 2013, Yiva was appointed as an OEM Partner of Philips and setup an assembly line in Rawang to manufacture premium quality downlights for both local and international customers. Today, Yiva provides Original Design Manufacturing (ODM) for customers from both factories in Malaysia and China.

In Malaysia, Yiva's product reach encompass a network of 40 Co-brand store and 800 dealers nationwide making YETPlus Lighting the Home Grown Leading Brand in Malaysia.

Our Vision & Mission And Values

Vision

A life in which everyone attain the right to have our best lighting solution.
让生活中的每个人都能够拥有我们最佳的照明解决方案。

Mission

We committed to deliver reliable, valuable and desirable lighting solution in everyone's life.
我们承诺提供可靠，有价值与理想的照明解决方案于生活中的每个人。

Values

To provide the highest quality products and the right lighting's solution to the customers which meet industrial standard and market demand. (for customer)

提供最优秀的产品和正确的照明解决方案于顾客并符合行业标准和市场需求。

To provide quality products and satisfy after sales service. (For products)

提供优质的产品和满意的售后服务。

To provide training and career path development for improving work efficiency and performance. (For employees)

提供在职培训和职业生涯发展以改善工作效率和表现。



Website
www.yetplus.com



Follow us
yetplusmalaysia



Follow us
yetpluslighting



Follow us
yetplusmalaysia



Follow us
yetplusmalaysia

03 - 6091 9811



New Corporate Head Office Location At Rawang. Office Area 26,000sqft



Acquisition Of A New Warehouse In Rawang. And With Largest Warehouse Facility In Downlight Segment. Warehouse Area 88,728sqft



Website
www.yetplus.com



Follow us
[yetplusmalaysia](#)



Follow us
[yetpluslighting](#)



Follow us
[yetplusmalaysia](#)



Follow us
[yetplusmalaysia](#)

☎ 03 - 6091 9811

Does LED Lighting Pose Health Risks ?




Blurred Vision

Eye Fatigue

Dry Eye

Blue Light Hazard

Myopia



YETPlusLighting®
Approved LED Photobiological Safety Class
IEC 62471:2006

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class

** Long time exposure will damage eye retina that caused blindness



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)

03 - 6091 9811

LED Recessed Downlight
Model
YET 560
12W/18W

No Blue Light Hazard




Complied To IEC62471:2006
LED Photobiological Safety Class




SIRIM
CERT. TO
MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594



Compatible
Accessories
Surface
Frame
Y560-D



Compatible
Accessories
Black Frame
Y555



No Harmful
UV Light



Ingress
Protection

IP20

Life Span
25,000 Hours



Fire Retardant
Material



Flicker Free
No Eye Strain



Power Factor
≥0.5



Available For
3 Colour
Temp. Changing
Daylight, Warm White or
Cool white



Power Surge
Capacity

1.5Kv

Light Weight -
Nylon & PC



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)




Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)

03 - 6091 9811

LED Recessed Downlight
Model
YET 561
12W/18W

Compatible
Accessories
Surface
Frame
Y561-D



No Blue Light Hazard




Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594

Compatible
Accessories
Black Frame
Y556



No Harmful
UV Light



Ingress
Protection



Life Span
25,000 Hours



Fire Retardant
Material



Flicker Free
No Eye Strain



Power Factor
≥0.5



Available For
3 Colour
Temp. Changing
Daylight, Warm White or
Cool white



Power Surge
Capacity



Light Weight -
Nylon & PC



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)

03 - 6091 9811

LED Recessed Downlight

Model

YET 557

12W/18W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM

CERT.TO

MS IEC 60598-2-2:2011

MS IEC 60598-1:2014

CERT.NO: PC003594



**Tempered Glass
No Yellowish**

Material

No Harmful
UV Light



Ingress
Protection



Life Span
25,000 Hours



Fire Retardant
Material



Flicker Free
No Eye Strain



Power Factor
≥0.5



Available For
3 Colour
Temp. Changing
Daylight, Warm White or
Cool white



Power Surge
Capacity



Light Weight -
Nylon & PC



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



03 - 6091 9811

LED Recessed Downlight
Model
YET 558
12W/18W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594

**Tempered Glass
No Yellowish**
Material

No Harmful
UV Light



Ingress
Protection **IP20**



Life Span
25,000 Hours



Fire Retardant
Material



Flicker Free
No Eye Strain



Power Factor
≥0.5



Available For
3 Colour
Temp. Changing
Daylight, Warm White or
Cool white



Power Surge
Capacity **1.5Kv**



Light Weight -
Nylon & PC



Website
www.yetplus.com



Follow us
[yetplusmalaysia](#)



Follow us
[yetpluslighting](#)



Follow us
[yetplusmalaysia](#)



Follow us
[yetplusmalaysia](#)



03 - 6091 9811

LED Recessed Downlight
Model

DIY 555
12W/18W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM

CERT. TO

MS IEC 60598-2-2:2011

MS IEC 60598-1:2014

CERT. NO: PC003594



Accessories
Recessed
Frame



No Harmful
UV Light

PROTECTION

Ingress
Protection **IP20**

Life Span
25,000 Hours 

Fire Retardant
Material 

Flicker Free
No Eye Strain 

Power Factor
≥0.5 

Easy
Maintenance 

Power Surge
Capacity **1.5Kv**

Light Weight -
Nylon & PC 



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)

03 - 6091 9811

LED Recessed Downlight
Model

DIY 556
12W/18W

No Blue Light Hazard




Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594

Accessories
Recessed
Frame



No Harmful
UV Light

Ingress
Protection

IP20

Life Span
25,000 Hours

Fire Retardant
Material

Flicker Free
No Eye Strain

Power Factor
≥0.5

Easy
Maintenance

Power Surge
Capacity

1.5Kv

Light Weight -
Nylon & PC



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



03 - 6091 9811

LED Recessed Downlight
Model
YET 7001
12W/18W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM

CERT.TO

MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594



**Die-cast
Aluminium**
Material

No Harmful
UV Light 
PROTECTION

Ingress
Protection **IP20**

Heavy Duty
For Long Hours To
25,000 Hours 

Fire Retardant
Material 

Flicker Free
No Eye Strain 

Power Factor
≥0.5 

Extra Brightness 

Power Surge
Capacity **1.5Kv**

High Performance
LED Chip 



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



03 - 6091 9811

LED Recessed Downlight
Model
YET 7002
12W/18W


No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594



**Die-cast
Aluminium**
Material

No Harmful
UV Light 
PROTECTION

Ingress
Protection **IP20**

Heavy Duty
For Long Hours To
25,000 Hours 

Fire Retardant
Material 

Flicker Free
No Eye Strain 

Power Factor
≥0.5 

Extra Brightness 

Power Surge
Capacity **1.5Kv**

High Performance
LED Chip 



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.whatsapp.com/yetplusmalaysia)

03 - 6091 9811

LED Recessed Downlight
 Model
YET 7003
 12W/18W

No Blue Light Hazard



Complied To IEC62471:2006
 LED Photobiological Safety Class



SIRIM

CERT.TO

MS IEC 60598-2-2:2011
 MS IEC 60598-1:2014
 CERT.NO: PC003594



**Die-cast
 Aluminium**
 Material

No Harmful
 UV Light



Ingress
 Protection



Heavy Duty
 For Long Hours To
 25,000 Hours



Fire Retardant
 Material



Flicker Free
 No Eye Strain



Power Factor
 ≥0.5




Extra Brightness



Power Surge
 Capacity



High Performance
 LED Chip



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)

☎ 03 - 6091 9811

LED Recessed Downlight
Model
YET 7005
12W/18W


No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594



**Die-cast
Aluminium**
Material

No Harmful
UV Light 
PROTECTION

Ingress
Protection **IP20**

Heavy Duty
For Long Hours To
25,000 Hours 

Fire Retardant
Material 

Flicker Free
No Eye Strain 

Power Factor
≥0.5 

Extra Brightness 

Power Surge
Capacity **1.5Kv**

High Performance
LED Chip 



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)

03 - 6091 9811

LED Recessed Downlight
Model
YET 7006
12W/18W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class




SIRIM

CERT.TO

MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594



Compatible LED Driver
ECO / PRO



SIRIM

CERT.TO: MS IEC 61347-1:2015
: MS IEC 61347-2-13:2016
CERT.NO: PC004447

Project Series

High Performance

No Harmful
UV Light



Ingress
Protection

IP20

Heavy Duty
For Long Hours To
30,000 Hours



Fire Retardant
Material



Power Surge
Capacity

1.5Kv

Power Factor
≥0.95



Exchangeable
LED Driver



High Performance
LED Chip



**Die-cast
Aluminium**
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)

03 - 6091 9811


LED Recessed Downlight
Model
YET 7007
12W/18W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class

Compatible LED Driver
ECO / PRO



SIRIM

CERT.TO: MS IEC 61347-1:2015
: MS IEC 61347-2-13:2016
CERT.NO: PC004447



SIRIM

CERT.TO

MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594

Project Series

High Performance

No Harmful UV Light

PROTECTION

Ingress Protection
IP20

Heavy Duty For Long Hours To
30,000 Hours


Fire Retardant Material


Power Surge Capacity
1.5Kv

Power Factor ≥ 0.95


Exchangeable LED Driver


High Performance LED Chip


Die-cast Aluminium
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



03 - 6091 9811

LED Recessed Downlight
Model
YET 7008
12W/18W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM

CERT TO

MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594



Compatible LED Driver
ECO / PRO



CERT.TO: MS IEC 61347-1:2015
: MS IEC 61347-2-13:2016
CERT.NO: PC004447

Project Series

High Performance

No Harmful
UV Light



Ingress
Protection

IP20

Heavy Duty
For Long Hours To
30,000 Hours



Fire Retardant
Material



Power Surge
Capacity

1.5Kv

Power Factor
≥0.95



Exchangeable
LED Driver



High Performance
LED Chip



**Die-cast
Aluminium**
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](#)



Follow us
[yetpluslighting](#)



Follow us
[yetplusmalaysia](#)



Follow us
[yetplusmalaysia](#)

☎ 03 - 6091 9811

LED Recessed Downlight
Model
YET 7009
12W/18W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class

Compatible LED Driver
ECO / PRO



CERT.TO: MS IEC 61347-1:2015
: MS IEC 61347-2-13:2016
CERT.NO: PC004447



SIRIM
CERT.TO
MS IEC 60598-2-2:2011
MS IEC 60598-1:2014
CERT.NO: PC003594

Project Series

High Performance

No Harmful
UV Light



Ingress
Protection

IP20

Heavy Duty
For Long Hours To
30,000 Hours



Fire Retardant
Material



Power Surge
Capacity

1.5Kv

Power Factor
≥0.95



Exchangeable
LED Driver



High Performance
LED Chip



Die-cast Aluminium
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](#)



Follow us
[yetpluslighting](#)



Follow us
[yetplusmalaysia](#)



Follow us
[yetplusmalaysia](#)



03 - 6091 9811

LED Surface Downlight
 Model
YET 9003
 12W/18W/30W



No Blue Light Hazard



Complied To IEC62471:2006
 LED Photobiological Safety Class



SIRIM
 CERT.TO
 MS IEC 60598-2-1:1997
 : MS IEC 60598-1:2012
 CERT.NO: PC005089



Compliant To
 RoHS Standard Which
 Restricts The Use Of
 Hazardous Materials In
 Lighting Products



Ingress
 Protection



Life Span
 25,000 Hours



Back-lit And Directional
 Light Source For
 Better Light Intensity
 & Uniformity



Flicker Free
 No Eye Strain



Power Factor
 ≥0.5



High Efficient
 And Quality
 SMD LED Chips



Power Surge
 Capacity



Durable & Light
Polycarbonate Material
 Much More Impact Resistant And
 Less Prone To Breakage Than
 Other Available Materials



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)

☎ 03 - 6091 9811

LED Surface Downlight
Model
YET 9005
12W/18W/30W



No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 60598-2-1:1997
: MS IEC 60598-1:2012
CERT.NO: PC005089

Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection



Life Span
25,000 Hours



Back-lit And Directional
Light Source For
Better Light Intensity
& Uniformity



Flicker Free
No Eye Strain



Power Factor
≥0.5



High Efficient
And Quality
SMD LED Chips



Power Surge
Capacity



Durable & Light
Polycarbonate Material
Much More Impact Resistant And
Less Prone To Breakage Than
Other Available Materials



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)

03 - 6091 9811

LED Surface Downlight

Model

YET 9006

18W*/30W*/40W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM

CERT.TO

MS IEC 60598-2-1:1997
: MS IEC 60598-1:2012
CERT.NO: PC005089



Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection



Life Span
25,000 Hours



Back-lit And Directional
Light Source For
Better Light Intensity
& Uniformity



Flicker Free
No Eye Strain



Power Factor
≥0.5



High Efficient
And Quality
SMD LED Chips



Power Surge
Capacity



Durable & Light
Polycarbonate Material
Much More Impact Resistant And
Less Prone To Breakage Than
Other Available Materials



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)


03 - 6091 9811

LED Surface Downlight
Model
YET 9007
18W*/30W*/40W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 60598-2-1:1997
: MS IEC 60598-1:2012
CERT.NO: PC005089

Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection



Life Span
25,000 Hours



Back-lit And Directional
Light Source For
Better Light Intensity
& Uniformity



Flicker Free
No Eye Strain



Power Factor
≥0.5



High Efficient
And Quality
SMD LED Chips



Power Surge
Capacity



Durable & Light
Polycarbonate Material
Much More Impact Resistant And
Less Prone To Breakage Than
Other Available Materials



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)

03 - 6091 9811

LED Surface Downlight
Model
YET 9008
25W/35W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM

CERT.TO

MS IEC 60598-1:2012

: MS IEC 60598-2-1:1997

CERT.NO: PC004655

Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection **IP20**

Life Span
25,000 Hours



Back-lit And Directional
Light Source For
Better Light Intensity
& Uniformity



Power Surge
Capacity **1.5Kv**

Power Factor
 ≥ 0.9



High Efficient
And Quality
SMD LED Chips



Trimless Full Emitted
Light Surface
Wide Beam **150°**



Durable & Light
Polycarbonate Material
Much More Impact Resistant And
Less Prone To Breakage Than
Other Available Materials



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



03 - 6091 9811

LED Surface Downlight
Model
YET 9009
25W/35W



No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM

CERT.TO

MS IEC 60598-1:2012

; MS IEC 60598-2-1:1997

CERT.NO: PC004655

Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection

IP20

Life Span
25,000 Hours



Back-lit And Directional
Light Source For
Better Light Intensity
& Uniformity



Power Surge
Capacity

1.5Kv

Power Factor
≥0.9



High Efficient
And Quality
SMD LED Chips



Trimless Full Emitted
Light Surface
Wide Beam



Durable & Light
Polycarbonate Material
Much More Impact Resistant And
Less Prone To Breakage Than
Other Available Materials



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



03 - 6091 9811

LED Track Light
Model

YE80

7W/12W*/18W*/30W*

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class




SIRIM

CERT.TO

MS IEC 60598-2-1:1997
: MS IEC 60598-1:2012
CERT.NO: PC005089



Beam Angle
24°



Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection **IP20**

Life Span
25,000 Hours



No Harmful
UV Light



Power Surge
Capacity **1Kv**

Power Factor
≥0.5-12W/18W
≥0.9-7W/30W



Flicker Free
No Eye Strain



Excellent Heat
Dissipation



**Die-cast
Aluminium**
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)

☎ 03 - 6091 9811

LED Surface Mounted Track Light
Model
YE80-D
7W/12W*/18W*



No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT. TO
MS IEC 60598-2-1:1997
: MS IEC 60598-1:2012
CERT. NO: PC005089



Beam Angle
24°



Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection **IP20**

Life Span
25,000 Hours



No Harmful
UV Light



Power Surge
Capacity **1Kv**

Power Factor
≥0.5-12W/18W
≥0.9-7W/30W



Flicker Free
No Eye Strain



Excellent Heat
Dissipation



**Die-cast
Aluminium**
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)

03 - 6091 9811

LED Bulkhead
Model
YET 8071
10W/18W



No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM

CERT.TO
MS IEC 60598-2-1:1997
: MS IEC 60598-1:2012
CERT.NO: PC005089



Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection **IP65**

Life Span
25,000 Hours



Back-lit And Directional
Light Source For
Better Light Intensity
& Uniformity



Power Surge
Capacity **1Kv**

Power Factor
≥0.5



Flicker Free
No Eye Strain



Fire Retardant
Material



Durable & Light
Polycarbonate Material
Much More Impact Resistant And
Less Prone To Breakage Than
Other Available Materials



Website
www.yetplus.com



Follow us
[yetplusmalaysia](#)



Follow us
[yetpluslighting](#)



Follow us
[yetplusmalaysia](#)



Follow us
[yetplusmalaysia](#)



03 - 6091 9811

LED Bulkhead
Model
YET 8072
12W/18W



No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 60598-2-1:1997
: MS IEC 60598-1:2012
CERT.NO: PC005089



Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection **IP65**

Life Span
25,000 Hours



Back-lit And Directional
Light Source For
Better Light Intensity
& Uniformity



Power Surge
Capacity **1Kv**

Power Factor
 ≥ 0.5



Flicker Free
No Eye Strain



Fire Retardant
Material



Durable & Light
Polycarbonate Material
Much More Impact Resistant And
Less Prone To Breakage Than
Other Available Materials



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)

03 - 6091 9811

LED Eyeball
Model
EB963
5W/10W


No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 62031:2011
CERT.NO: PC005364



Replaceable
LED Module



Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection **IP20**



Life Span
25,000 Hours



Dimmable With
LED Dimmer



Power Factor
≥0.9



**Die-cast
Aluminium
Module**
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



03 - 6091 9811

LED Eyeball
Model
EB965
5W/10W


No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 62031:2011
CERT.NO: PC005364



Replaceable
LED Module



Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection **IP20**

Life Span
25,000 Hours



Dimmable With
LED Dimmer



Power Factor
≥0.9



**Die-cast
Aluminium
Module**
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



03 - 6091 9811

LED Batten T5
Model
T5 PRO
5W/10W/15W/20W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM

CERT.TO

MS IEC 60598-11:2012
MS IEC 60598-2-1:1997
CERT.NO: PC004655



Extra Brightness
Performance Range

Fire Retardant
Material



Ingress
Protection

IP20

Life Span
25,000 Hours



Power Surge
Capacity

1.5Kv

Power Factor
≥0.9



Max Interconnection
13pcs



Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



**Semi
Transparent
End Cap**

Polycarbonate
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.instagram.com/yetpluslighting)




Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)

03 - 6091 9811

LED Batten T5
Model
T5 ECO
5W/10W/15W/20W



No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 60598-1:2012
MS IEC 60598-2-1:1997
CERT.NO: PC004655

Fire Retardant
Material



Ingress
Protection



Life Span
15,000 Hours



Power Surge
Capacity



Power Factor
≥0.5



Max Interconnection
8pcs



Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Flicker Free
No Eye Strain



Polycarbonate
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](#)



Follow us
[yetpluslighting](#)



Follow us
[yetplusmalaysia](#)



Follow us
[yetplusmalaysia](#)

☎ 03 - 6091 9811

LED T8 Tube
Model
LED T8 10W
LED T8 20W


No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 62776:2014
CERT.NO: PC005194



**Glass Body
Aluminium Cap**
Material

Flicker Free
No Eye Strain



Ingress
Protection

IP20

Life Span
30,000 Hours



Power Surge
Capacity

1Kv

Power Factor
≥0.5



High Efficient
And Quality
SMD LED Chips



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



03 - 6091 9811

LED T8 Tube
Model
LED T8 30W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 62776:2014
CERT.NO: PC005194



**Glass Body
Aluminium Cap**
Material

Flicker Free
No Eye Strain



Ingress Protection **IP20**



Life Span
30,000 Hours



Power Surge Capacity **1Kv**



Power Factor ≥ 0.5



High Efficient
And Quality
SMD LED Chips



Website
www.yetplus.com



Follow us
yetplusmalaysia



Follow us
yetpluslighting



Follow us
yetplusmalaysia



Follow us
yetplusmalaysia



03 - 6091 9811

LED Spike Lamp
Model
LE0116
10W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 62031:2011
CERT.NO: PC005364



Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection **IP65**



Life Span
25,000 Hours



Included
1m Wires



Power Factor
≥0.9



**Die-cast
Aluminium
Module**
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



03 - 6091 9811

LED Driver
Model

YET-Pro Drive-12W

YET-Pro Drive-18W

YET-Eco Drive-12W

YET-Eco Drive-18W

SELV



PRO Driver



ECO Driver



SIRIM

CERT.TO

MS IEC 61347-1:2015

MS IEC 61347-2-13:2016

CERT.NO: PC004447

PRO THD <10%
ECO THD <50%
Total Harmonic Distortion

Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection



Life Span
30,000 Hours



Power Factor
≥0.95 (PRO Driver)
≥0.5 (ECO Driver)



Wide Input Voltage
100-240V

Power Surge
Capacity



**Polycarbonate
Casing**

Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](#)



Follow us
[yetpluslighting](#)



Follow us
[yetplusmalaysia](#)



Follow us
[yetplusmalaysia](#)



03 - 6091 9811

LED Retroled Bulb

Model

A45/A60/A65/A70

3W/10W/12W/15W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



CERT.TO
MS IEC 62560:2012
CERT.NO: PC003516



E27 15W



E27 12W



E27 10W



E27 3W

PBT
Material

Flicker Free
No Eye Strain



Ingress
Protection

IP20

Life Span
15,000 Hours



Power Factor
≥0.5



Power Surge
Capacity

0.5Kv

E27
Holder



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)




Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)

03 - 6091 9811

Stick Bulb
Model
10W/15W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 62560:2015
CERT.NO: PC005034



E27 15W



E27 10W

PBT
Material

Flicker Free
No Eye Strain



Ingress Protection **IP20**



Life Span
25,000 Hours



Power Factor
 ≥ 0.5



Power Surge Capacity **0.5Kv**



E27 Holder



Website
www.yetplus.com



Follow us
[yetplusmalaysia](#)



Follow us
[yetpluslighting](#)



Follow us
[yetplusmalaysia](#)



Follow us
[yetplusmalaysia](#)

03 - 6091 9811

Retroled Bulb
Model
GU10
5W/8W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



GU10 5W



GU10 8W



SIRIM
CERT.TO
MS IEC 62560:2015
CERT.NO: PC011178



SIRIM
CERT.TO
MS IEC 62560:2015
CERT.NO: PC005034

Life Span
25,000 Hours 

Life Span
20,000 Hours 

Flicker Free
No Eye Strain 

Ingress
Protection **IP20** 

GU10
Holder 

Power Factor
≥0.5 

Power Surge
Capacity **0.5Kv** 

Polycarbonate
Material



Website
www.yetplus.com



Follow us
[yetplusmalaysia](#)



Follow us
[yetpluslighting](#)



Follow us
[yetplusmalaysia](#)



Follow us
[yetplusmalaysia](#)

 03 - 6091 9811

LED COB Module
Model
YET-LedMod-5W
YET-LedMod-10W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



SIRIM
CERT.TO
MS IEC 62031:2011
CERT.NO: PC005364




10W



5W

Compatible Eyeball Fixture



**Die-cast
Aluminium
Module**

Material

Compliant To
RoHS Standard Which
Restricts The Use Of
Hazardous Materials In
Lighting Products



Ingress
Protection **IP20**



Life Span
25,000 Hours



Dimmable With
LED Dimmer



Power Factor
≥0.9



Beam Angle
24°



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



03 - 6091 9811

Flood Light
Model


JD6125

10W/20W/30W/50W/100W/150W/200W

No Blue Light Hazard



Complied To IEC62471:2006
LED Photobiological Safety Class



**Die-cast
Aluminium**
Material

High Efficient
And Quality
SMD LED Chips



Ingress
Protection **IP65**

Life Span
25,000 Hours



Power Factor
 ≥ 0.9



Power Surge
Capacity **1Kv**

**Wide
Beam Angle**



Website
www.yetplus.com



Follow us
[yetplusmalaysia](https://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](https://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](https://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](https://www.youtube.com/yetplusmalaysia)



03 - 6091 9811

SPECIALIZED PROJECT SEGMENT



- Indoor Lighting Segment
Residence, Shopping Mall, Offices



- Hotel Lighting Segment
Cafeteria, Ballroom, Fitness Room



- Facade Lighting Segment
Outdoor Building Facade



- Landscape Lighting Segment
Outdoor Landscape Lighting



- Sports Lighting Segment
Indoor / Outdoor HDTV Lighting



- Industrial Lighting Segment
Production Area / Warehousing



Hotel Lighting Segment



- Geo Resorts *Genting Permai*

“ **D**esign & supply lighting concept -

Working closely and coordinate with interior designer and M&E consultant. ”

Landscape Lighting Segment



- GEN KL Residence *Jalan Klang Lama*

“ **A**warded as nominated sub-contractor contract. ”





Facade Lighting Segment



- HANIFFA Shopping Gallery
Jalan Masjid India

Provide facade lighting 3D rendering and working closely and fulfill architect requirement.

Sports Lighting Segment



- SEA Game 2017, First Winter Sport *Ice Rink Arena*

To design, supply and testing commissioning comply to IIHF (Ice Hockey) and requirement broadcasting.





Golden Eagle Award
2016/2017/2018/2019



Sin Chew Business Excellence Awards 2016
Innovation • Transformation • Sustainability



Malaysia's Choice 2013
YETPlus




HomeDec 2012/13
Quality Award



MALAYSIA'S LEADING
LED LIGHTING
SINCE 1994

Dealership Distribution

Over **850** dealership network across Malaysia



Website
www.yetplus.com



Follow us
yetplusmalaysia



Follow us
yetpluslighting




Follow us
yetplusmalaysia



Follow us
yetplusmalaysia

☎ 03 - 6091 9811



screenshot

Follow Us



www.yetplus.com



www.facebook.com/yetplusmalaysia



www.facebook.com/yetpluslighting



www.youtube.com/user/yetplus



www.instagram.com/yetplusmalaysia



Website
www.yetplus.com



Follow us
[yetplusmalaysia](http://www.facebook.com/yetplusmalaysia)



Follow us
[yetpluslighting](http://www.facebook.com/yetpluslighting)



Follow us
[yetplusmalaysia](http://www.instagram.com/yetplusmalaysia)



Follow us
[yetplusmalaysia](http://www.youtube.com/yetplusmalaysia)



03 - 6091 9811



Yiva Electric Sdn Bhd

No.19, Jalan RP 3,
Rawang Perdana Industrial Park,
48000 Rawang, Selangor,
Malaysia

Tel : +603 6091 9811

Fax : +603 6091 9812

www.yetplus.com

